



# ATTO HBA Support with Windows

## Support Statement

P/N 300-000-166  
ECO 78830 Rev C19

March 2011

---

This letter of support provides a mechanism for EMC to offer designated EMC/ATTO solution support according to the conditions outlined in this document:

- ♦ Agreement.....2
- ♦ Supported configuration.....2



## Agreement

The following conditions exist:

- ◆ The configurations below are supported using only the exact revisions and requirements as listed.

## Supported configuration

This section outlines the supported configuration.

### Supported workstation models

- ◆ Workstation must be supported by Microsoft for Windows XP, 7, or Vista
- ◆ The workstation vendor must support Windows XP, 7 or Vista

### EMC software

- ◆ No layered application support

### HBAs and drivers

- ◆ ATTO Tech FC-81EN, FC-82EN , FC-84EN, FC-44ES, FC-42ES and FC-41ES HBAs with the 1.21MP driver for Windows Workstations XP, Vista and 7.

To download the 1.21MP driver please visit:

<http://www.attotech.com/>

### Storage arrays

- ◆ EMC VNX Block with OE 5.31 or later.
- ◆ EMC CLARiiON CX4 with FLARE 29 or later.
- ◆ EMC CLARiiON AX4-5 with FLARE 23.
- ◆ EMC SymmetrixVMAX 5875

Copyright © 2011 EMC Corporation. All Rights Reserved.

EMC believes the information in this publication is accurate as of its publication date. The information is subject to change without notice.

THE INFORMATION IN THIS PUBLICATION IS PROVIDED "AS IS." EMC CORPORATION MAKES NO REPRESENTATIONS OR WARRANTIES OF ANY KIND WITH RESPECT TO THE INFORMATION IN THIS PUBLICATION, AND SPECIFICALLY DISCLAIMS IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

Use, copying, and distribution of any EMC software described in this publication requires an applicable software license.

For the most up-to-date listing of EMC product names, see EMC Corporation Trademarks on EMC.com.

All other trademarks used herein are the property of their respective owners.

*Support Statement*